



## T200 R PIPE ARCH

### Profile Geometry

Code	Span S	Rise R	Area	Periphery	Step X	Plates	Top		Corner		Base	
							Rt	αt	Rc	αc	Rb	αb
T200	m	m	m <sup>2</sup>	m	m		mm		mm		mm	
R/01	2.19	1.69	2.88	6.11	1.03	5	1147	129.15	634	85	1549	60.85
R/02	2.29	1.73	3.10	6.35	0.99	5	1181	136.76	634	85	1770	53.24
R/03	2.40	1.78	3.32	6.58	1.07	5	1265	127.73	634	85	1730	62.27
R/04	3.02	2.05	4.77	7.99	1.19	6	1627	124.11	634	85	2248	65.89
R/05	3.40	2.24	5.88	8.93	1.13	6	1787	135.61	634	85	2971	54.39
R/06	3.72	2.66	7.75	10.11	1.63	6	1983	122.23	982	96	3236	45.78
R/07	3.81	2.70	8.08	10.34	1.59	6	2012	127.15	982	96	3625	40.86
R/08	4.02	2.78	8.77	10.81	1.62	7	2135	126.14	982	96	3859	41.87
R/09	4.19	2.87	9.49	11.28	1.51	7	2188	135.41	982	96	4958	32.59
R/10	4.65	3.03	10.99	12.22	1.71	7	2510	123.37	982	96	4526	44.63
R/11	5.29	3.28	13.42	13.63	1.81	7	2894	120.95	982	96	5151	47.05
R/12	5.46	3.37	14.29	14.10	1.70	7	2918	129.22	982	96	6249	38.79
R/13	5.67	3.45	15.17	14.57	1.73	7	3043	128.33	982	96	6448	39.67
R/14	5.89	3.53	16.08	15.04	1.77	9	3169	127.47	982	96	6644	40.53
R/15	6.04	3.62	17.03	15.51	1.65	9	3189	135.11	982	96	8188	32.89
R/16	6.23	3.65	17.49	15.75	1.89	9	3420	122.05	982	96	6446	45.95
R/17	6.39	3.74	18.47	16.22	1.77	9	3429	129.59	982	96	7712	38.41
R/18	6.60	3.83	19.46	16.69	1.81	9	3555	128.77	982	96	7894	39.23
R/19	6.68	3.87	19.98	16.92	1.75	9	3560	132.37	982	96	8692	35.63
R/20	6.95	3.95	20.99	17.39	1.93	9	3811	123.65	982	96	7590	44.35
R/21	7.23	4.24	23.64	18.33	2.06	9	3897	127.84	1122	96	8381	40.16